

	Application No.	Applicant(s)
Notice of Allowability	09/988,896	ANNADURAI ET AL.
	Examiner	Art Unit
	Prenell P. Jones	2616
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 5/23/06.		
2. The allowed claim(s) is/are <u>1-6,8,10,11 and 13-19</u> .		
 3.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5 Notice of Informal P	atent Application (PTO-152)
2. Notice of Praftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 8), 7. ☐ Examiner's Amendn	e nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		nt of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 09/988,896 Page 2

Art Unit: 2616

Reason for Allowance

1. Claims 1-6, 8, 10, 11 and 13-19 are allowed over prior art.

2. The following is an examiner's statement of reasons for allowance: Applicant has amended previously objected to claims 8, 10 and 11 to read as independent claims. In addition, Applicant has canceled previously rejected claims 7 and 9.

The combined prior art fail to teach or suggest with respect to claim 1, if a late skew is determined, correcting late skew by selecting a second input for receiving plurality of data-bits wherein the bits at the second input are at least one clock cycle earlier than the data-bits for the first input, and if an early skew is determined, correcting early skew by selecting a third input for receiving the plurality of data-bits such that the data-bits at the third input are at least one clock cycle later than the data-bits at the first input, with respect to claim 8, data-bits at the second input are at least one clock cycle earlier than the data bits for the first input, with respect to claim 10, data bits at the second input are at least one clock cycle later than data bits on the data bus, with respect to claim 11, data bits has a maximum skew of +/-1 clock cycle, and with respect to claim 13, multiplexer selecting a first data input signal if there exist a late skew at the data bus, or selecting the second data input signal if there is no data skew, or selecting a third data input if an early skew exist occurs.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 09/988,896

Art Unit: 2616

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Prenell P. Jones whose telephone number is 571-272-3180. The examiner can normally be reached on 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on 571-272-3179. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

June 25, 2006

SUPERVISORY PATENT EXAMINER () LUGG

Page 3